




# NTN BEARING CORP.

## INA TASE70 bearing units



TASE70 Bearing 2D drawings and 3D CAD models

Bearing No. TASE70

Bore Diameter	70 mm
d	70 mm
S1	44,6 mm
Thread (Q)	Rp1/8
d3	96 mm
A	65 mm
A1	44 mm
B1	66 mm
H	79,4 mm
H1	27,5 mm
H2	156 mm
J	203 mm
L	260 mm
N	22 mm
N1	28 mm
Weight	6,09 Kg
Basic dynamic load rating (C)	62 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	7.365
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block



## NTN BEARING CORP.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE70KPPB3
Seals	Double Triply
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 70MM Bore; 79.4MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 196.5MM Minimum Bolt Spacing; 208.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Triply
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	TASE70
Weight / LBS	14.134
Base to Center Height	3.126 Inch   79.4 Millimeter
Bolt Spacing Maximum	8.209 Inch   208.5 Millimeter
Actual Bolt Center to Center	0 Inch   0 Millimeter
Nominal Bolt Center to Center	8 Inch   203 Millimeter
Bolt Spacing Minimum	7.736 Inch   196.5 Millimeter
Bore	2.756 Inch   70 Millimeter



## NTN BEARING CORP.

Length Thru Bore	2.602 Inch   66.1 Millimeter
------------------	------------------------------